

## Certificate of Analysis

**Company:** High Altitude Cannabis  
 313 Katebrook Rd  
 Hardwick, VT 05843

**Sample ID:** Rainbow Belts Gelato  
**Lot:** 005-A  
**Matrix:** Flower

**Report Date:** 3/22/2023  
**Date Analyzed:** 3/17/2023

**Customer ID:** 210319-11  
**Grower License #:** SCLT0162

**Date Sampled:** 2/13/2023  
**Date Received:** 2/23/2023

**Analyst:** 035  
**Report ID:** C230223AB

### Terpenes Summary

Terpene	LOQ (mg/g)	Results (mg/g)	Weight (%)
<b>α- Pinene</b>	0.010	1.178	0.118
<b>Camphene</b>	0.010	0.232	0.023
<b>β-Myrcene</b>	0.010	2.815	0.282
<b>b-Pinene</b>	0.010	1.750	0.175
<b>3-Carene</b>	0.010	<LOQ	<LOQ
<b>α-Terpinene</b>	0.010	<LOQ	<LOQ
<b>Limonene</b>	0.010	3.412	0.341
<b>p-Cymene</b>	0.010	<LOQ	<LOQ
<b>Ocimene</b>	0.010	<LOQ	<LOQ
<b>Eucalyptol</b>	0.010	0.035	0.004
<b>γ-Terpinene</b>	0.010	0.022	0.002
<b>Terpinolene</b>	0.010	0.193	0.019
<b>Linalool</b>	0.010	3.103	0.310
<b>Isopulegol</b>	0.010	<LOQ	<LOQ
<b>Geraniol</b>	0.010	0.179	0.018
<b>Caryophyllene</b>	0.010	3.686	0.369
<b>α-Humulene</b>	0.010	2.324	0.232
<b>Trans-Nerolidol</b>	0.010	<LOQ	<LOQ
<b>Cis-Nerolidol</b>	0.010	<LOQ	<LOQ
<b>Guaiol</b>	0.010	<LOQ	<LOQ
<b>Caryophyllene Oxide</b>	0.010	0.209	0.021
<b>α-Bisabolol</b>	0.010	0.783	0.078
<b>Total Terpenes</b>		19.921	1.992

8.71%
Percent Moisture

LOQ = The lowest quantity this method can reliably detect. Any terpene that was not detected is assumed to be less than the stated LOQ (<LOQ).

Terpene Methodology: Headspace Sampler, Gas Chromatography-Mass Spectrometry (GC-MS), using Perkin Elmer Clarus® SQ8 GC MS




Reagent Blanks: < LOQs for all analytes

All results reflect dry weight of material, based on % moisture of the sample.

All moisture analysis is determined by loss-on-drying measurement using OHAUS Model MB90 Moisture Content Readers.

This report shall not be reproduced except in full without approval of the laboratory. This is to provide assurance that parts of a report are not taken out of context. Results apply to the samples as received.

Certified by: \_\_\_\_\_



Luke Emerson Mason (Laboratory Director, Bia Diagnostics)