

Office: 802-540-0148 | Fax: 802-540-0147 480 HERCULES DR. COLCHESTER, VT 05446

Certificate of Analysis

Company: Mr Tree LLC

Sample ID: runtz x GMO

206 Woodbine by the Lake Unit 6

Lot: MRT Lot 1-0001

Report Date: 2/15/2023

Colchester, VT 05446

Matrix: Flower

Date Analyzed: 2/13/2023

Customer ID: 220516-0

Date Sampled: N/A

Analyst: 035

Grower License #: N/A

Date Received: 2/7/2023

Report ID: C230207BE

Terpenes Summary

Terpene	LOQ (mg/g)	Results (mg/g)	Weight (%)
α- Pinene	0.010	1.388	0.139
Camphene	0.010	0.062	0.006
β-Myrcene	0.010	2.680	0.268
b-Pinene	0.010	1.955	0.196
3-Carene	0.010	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
α-Terpinene	0.010	0.463	0.046
Limonene	0.010	1.787	0.179
ρ-Cymene	0.010	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Ocimene	0.010	1.861	0.186
Eucalyptol	0.010	0.100	0.010
Y-Terpinene	0.010	0.355	0.036
Terpinolene	0.010	5.543	0.554
Linalool	0.010	0.222	0.022
Isopulegol	0.010	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Geraniol	0.010	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Caryophyllene	0.010	2.051	0.205
α-Humulene	0.010	0.824	0.082
Trans-Nerolidol	0.010	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Cis-Nerolidol	0.010	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Guaiol	0.010	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Caryophyllene Oxide	0.010	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
α-Bisabolol	0.010	0.151	0.015
Total Terpenes		19.442	1.944

8.75%

LOQ = The lowest quantity this method can reliably detect. Any terpene that was not detected is assumed to be less than the stated LOQ (<LOQ).

Percent Moisture Terpene Methodology: Headspace Sampler, Gas Chromatography-Mass Spectrometry (GC-MS), using Perkin Elmer Clarus® SQ8 GC MS

Reagent Blanks: < LOQs for all analytes

All results reflect dry weight of material, based on % moisture of the sample.

All moisture analysis is determined by loss-on-drying measurement using OHAUS Model MB90 Moisture Content Readers.

This report shall not be reproduced except in full without approval of the laboratory.

This is to provide assurance that parts of a report are not taken out of context. Results apply to the samples as received.

Certified by:

Luke E.M

Luke Emerson Mason (Laboratory Director, Bia Diagnostics)

C230207BE