

Office: 802-540-0148 | Fax: 802-540-0147 480 HERCULES DR. COLCHESTER, VT 05446

## **Certificate of Analysis**

Company: Bern Living Organics

135 Main St. Ste 101

Burlington, VT 05401

Customer ID: 210511-0

Grower License #: CLTV0089

Sample ID: Yellow Cab

Lot: N/A

Matrix: Flower

Date Sampled: N/A

Date Received: 5/26/2023

Report Date: 6/6/2023

Date Analyzed: 6/5/2023 Analyst: 035

Report ID: C230526BJ

## **Terpenes Summary**

Terpene	LOQ (mg/g)	Results (mg/g)	Weight (%)
α- Pinene	0.010	0.629	0.063
Camphene	0.010	0.079	0.008
β-Myrcene	0.010	5.944	0.594
b-Pinene	0.010	1.111	0.111
3-Carene	0.010	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
α-Terpinene	0.010	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Limonene	0.010	2.881	0.288
ρ-Cymene	0.010	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Ocimene	0.010	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Eucalyptol	0.010	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Y-Terpinene	0.010	0.015	0.002
Terpinolene	0.010	0.078	0.008
Linalool	0.010	1.077	0.108
Isopulegol	0.010	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Geraniol	0.010	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Caryophyllene	0.010	8.590	0.859
α-Humulene	0.010	3.751	0.375
Trans-Nerolidol	0.010	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Cis-Nerolidol	0.010	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Guaiol	0.010	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Caryophyllene Oxide	0.010	0.024	0.002
α-Bisabolol	0.010	0.028	0.003
Total Terpenes		24.207	2.421

, 10.75%

LOQ = The lowest quantity this method can reliably detect. Any terpene that was not detected is assumed to be less than the stated LOQ (<LOQ).

Percent Moisture Terpene Methodology: Headspace Sampler, Gas Chromatography-Mass Spectrometry (GC-MS), using Perkin Elmer Clarus® SQ8 GC MS

Reagent Blanks: < LOQs for all analytes

All results reflect dry weight of material, based on % moisture of the sample.

All moisture analysis is determined by loss-on-drying measurement using OHAUS Model MB90 Moisture Content Readers.

This report shall not be reproduced except in full without approval of the laboratory.

This is to provide assurance that parts of a report are not taken out of context. Results apply to the samples as received.

Certified by: \_\_

Luke K.M

Luke Emerson Mason (Laboratory Director, Bia Diagnostics)

(802) 540-0148 laboratory@biadiagnostics.com