



Grower License #: SCLT0256

Certificate of Analysis

Company: Pine Rock Sample ID: Dosido

Lot: SCLT0256-01 **Report Date:** 11/6/2023

Matrix: Flower Date Analyzed: 11/1/2023

Customer ID: 231023-0 Date Sampled: N/A Analyst: 045

Date Received: 10/23/2023 Report ID: C231023AW

Terpenes Summary

Terpene	LOQ (mg/g)	Results (mg/g)	Weight (%)
α- Pinene	0.010	1.328	0.133
Camphene	0.010	0.337	0.034
β-Myrcene	0.010	1.385	0.139
b-Pinene	0.010	2.273	0.227
3-Carene	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
α-Terpinene	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Limonene	0.010	5.825	0.583
ρ-Cymene	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Ocimene	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Eucalyptol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Y-Terpinene	0.010	0.020	0.002
Terpinolene	0.010	0.198	0.020
Linalool	0.010	3.898	0.390
Isopulegol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Geraniol	0.010	0.107	0.011
Caryophyllene	0.010	2.227	0.223
α-Humulene	0.010	1.173	0.117
Trans-Nerolidol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Cis-Nerolidol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Guaiol	0.010	0.190	0.019
Caryophyllene Oxide	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
α-Bisabolol	0.010	0.040	0.004
Total Terpenes		19.001	1.902

11.11%

LOQ = The lowest quantity this method can reliably detect. Any terpene that was not detected is assumed to be less than the stated LOQ (<LOQ).

Percent Moisture Terpene Methodology: Headspace Sampler, Gas Chromatography-Mass Spectrometry (GC-MS), using Perkin Elmer Clarus® SQ8 GC MS

Reagent Blanks: < LOQs for all analytes

All results reflect dry weight of material, based on % moisture of the sample.

All moisture analysis is determined by loss-on-drying measurement using OHAUS Model MB90 Moisture Content Readers.

C231023AW

This report shall not be reproduced except in full without approval of the laboratory.

This is to provide assurance that parts of a report are not taken out of context. Results apply to the samples as received.

Certified by:

Luke Emerson Mason (Laboratory Director, Bia Diagnostics)